


The BIG SPLASH

Set-Up & Safety Instructions




Parts List



Tee Fitting

Quantity: 1



Corner Fitting

Quantity: 2




Four-Way Fitting:

Quantity: 2



36" Pipe: Quantity-4



Trigger Unit:

Quantity-1



44.5" Tapered Pipe: Quantity-3




41.5" Pipe: Quantity-5



Bucket Assembly:


Quantity-1




Target Cross Brace: Quantity-1



Collar: Quantity-1



Target Arm: Quantity-1



**Filler Tube Hook:
Quantity-1**



Target: Quantity-1




**Filler Tube:
Quantity-1**



**Filler Tube
Clips:
Quantity-3**



**Sponge Balls:
Quantity-12**



**Vinyl Canvas:
Quantity-1**



Step 1

Slide the bucket assembly onto the trigger unit. Make sure that it is positioned so that the roller engages with the trigger hook.



Step 2

Slide on the collar and tighten.



Step 3

Slide on a corner fitting and tighten.





(The cross brace will be slid up to meet the target arm hole, once the canvas is attached.)




Attach the garden hose to the connector/valve.

Step 6

Insert filler tube hook and tighten.

Step 7

Use the clips to route the filler tube along the frame to wherever you are going to run the garden hose.



Step 8

Attach the canvas to the frame with the Velcro straps. (You may now need to slide the cross brace up to meet the hole for the target arm.)

Step 9

Attach the garden hose to the connector/valve.



Safety Instructions

- ◆ **Never use baseballs or hard balls. (Use only the balls provided.)**
- ◆ **Set up on level ground.**
- ◆ **Keep Big Splash staked and/or sandbagged for stability.**
- ◆ **Keep Big Splash away from electricity.**
- ◆ **Never stand under the bucket when in use.**
- ◆ **Do not allow anyone to climb on or lean against the Big Splash.**
- ◆ **Do not allow anyone to hit the target with their hand.**
- ◆ **Take down the Big Splash if there is high wind or chance of lightening.**